

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	((symmetric or secret) with key).ab. and (dual or parallel\$4 or "high-speed").ab. and (feedback\$4 or input\$4 or output\$4).ab. and (cipher with (stream\$4 or block\$4)).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 06:55
L2	20	((symmetric or secret) with key).ab. and (dual or parallel\$4 or "high-speed").ab. and (feedback\$4 or input\$4 or output\$4).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 06:55
L3	22	("5214703").URPN.	USPAT	OR	ON	2005/05/25 07:00
S1	2	("6708273").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 06:52
S2	2	"6708273"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 08:55
S3	2	S1 and (divid\$5 or separat\$5 or segment\$5 or block)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 08:56
S4	995079	key\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 09:08
S5	71326	encrypt\$5 or decrypt\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 09:08
S6	7681094	divid\$5 or separat\$5 or section\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 09:10
S7	5940660	plaintext or data or message or signal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 14:29

S8	7306860	predetermin\$5 or fix\$5 or designat\$5 or known or standard	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 14:30
S9	3284380	length or bit or byte	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 14:30
S10	19097748	generat\$5 or form\$5 or mak\$5 or calculat\$5 or produc\$5 or operat\$5 or execut\$5 or determin\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 09:11
S11	404530	feedback or loopback	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 09:11
S12	11608	ciphertext or cipher	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 09:15
S13	1635710	binomial or monomial or mathematical or finite or cyclic or ship or multiplication or sequence	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 09:13
S14	2512521	parallel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 09:14
S15	32944	S4 with S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 09:14
S16	13937	S6 with S7 with S8 with S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 09:32
S17	307	S10 with S11 with S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 09:15

S18	4626	S12 and S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 09:16
S19	82	S15 and S16 and S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 09:22
S20	81	S18 and S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 09:22
S21	3088	symmetric near2 key\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 09:23
S22	78	S20 and S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 09:23
S23	77	circuit and S22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 09:23
S24	76	ciphertext and S23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 09:24
S25	76	random and S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 09:24
S26	7681094	divid\$5 or separat\$5 or section\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 09:37
S27	5940660	plaintext or data or message or signal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 09:32

S28	7306860	predetermin\$5 or fix\$5 or designat\$5 or known or standard	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 09:32
S29	3284380	length or bit or byte	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 09:32
S30	13937	S26 with S27 with S28 with S29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 09:37
S31	13937	S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 09:33
S32	20613	random with key\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 10:21
S33	43501	feedback\$5 with (operation or encrypt\$5 or decrypt\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 09:34
S34	2214	ciphertext	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 09:35
S35	4	S30 and S32 and S33 and S34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 09:40
S36	9091142	divid\$5 or separat\$5 or section\$5 or segment\$5 or block\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 10:13
S37	25419	S36 with S27 with S28 with S29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 10:14

S38	12	S37 and S32 and S33 and S34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 10:15
S39	2	("6028939").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/18 10:07
S40	10	"6028939"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 10:07
S41	8	(S39 or S40) and random	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 10:07
S42	9094367	divid\$5 or separat\$5 or section\$5 or segment\$5 or block\$5 or permut\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 10:15
S43	25552	S42 with S27 with S28 with S29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 10:16
S44	9107404	divid\$5 or separat\$5 or section\$5 or segment\$5 or block\$5 or permut\$6 or pars\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 14:28
S45	25712	S44 with S27 with S28 with S29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 10:18
S46	12	S45 and S32 and S33 and S34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 10:22
S47	40616	random same key\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 10:21

S48	15	S45 and S47 and S33 and S34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 10:22
S49	7	("6298136").URPN.	USPAT	OR	ON	2005/05/18 10:24
S50	3	("6049608").URPN.	USPAT	OR	ON	2005/05/18 10:29
S51	0	("6526505").URPN.	USPAT	OR	ON	2005/05/18 10:31
S52	263	(DES near2 encrypt\$5) and encrypt\$6.ab. and random\$5.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 10:31
S53	60	S52 and (symmetric near2 key\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 10:32
S54	32	S53 and @ad<"20010309"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 10:32
S55	1	("6157720").URPN.	USPAT	OR	ON	2005/05/18 10:36
S56	3	("6049612").URPN.	USPAT	OR	ON	2005/05/18 10:38
S57	9	("5870470").URPN.	USPAT	OR	ON	2005/05/18 10:39
S58	0	("5974144").URPN.	USPAT	OR	ON	2005/05/18 11:12
S59	1	random.ab. near2 block.ab. near2 cipher.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 12:24
S60	2	random\$5.ab. near2 block\$3.ab. near2 cipher\$5.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 12:25
S61	27	random\$5 near2 block\$3 near2 cipher\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 12:38
S62	0	("6275586").URPN.	USPAT	OR	ON	2005/05/18 14:15
S63	25	((random\$5 or RND or RNG) near2 block\$3 near2 cipher\$5) and ((random\$5 or RND or RNG) with key\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 12:39

S64	0	("6307940").URPN.	USPAT	OR	ON	2005/05/18 12:46
S65	5	("6445797").URPN.	USPAT	OR	ON	2005/05/18 12:50
S66	1	09/761771	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 14:19
S67	31	((("6351539") or ("6189095") or ("6708273") or ("6028939") or ("6307940") or ("6859818") or ("6819764") or ("6760440") or ("6256505") or ("6298136") or ("6216229") or ("6157720") or ("6049608") or ("5870470"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/18 14:23
S68	32	S66 or S67	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 14:24
S69	7	S68 and ((symmetric near2 key) with encrypt\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 14:38
S70	9107404	divid\$5 or separat\$5 or section\$5 or segment\$5 or block\$5 or permut\$6 or pars\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 14:28
S71	5940660	plaintext or data or message or signal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 14:29
S72	204925	redundancy or redundant or padding	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 14:30
S73	7306860	predetermin\$5 or fix\$5 or designat\$5 or known or standard	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 14:30
S74	4970016	length or bit or byte or size	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 14:31

S75	3	S68 and (S70 with S71 with S72)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 14:45
S76	17	S68 and ((secret or key\$5 or seed\$5) with (random or RNG or RND))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 13:41
S77	21	S68 and ((output\$5 or feedback\$5 or loopback\$5 or input\$5) with encrypt\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 14:35
S78	1	S69 and S75 and S76 and S77	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 14:40
S79	7	S68 and ((symmetric near2 key) same encrypt\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 14:38
S80	4	S69 and S76 and S77	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 14:40
S81	21	S68 and (S70 with S71)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 15:12
S82	12	S68 and (S73 with S74)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 14:47
S83	6	S68 and S72	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 14:56
S84	6	((("4933969") or ("4995082") or ("5384848")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/18 15:13

S85	2	("5703952").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/18 15:14
S86	16	("5703952").URPN.	USPAT	OR	ON	2005/05/18 15:15
S87	16	("5703952").URPN.	USPAT	OR	ON	2005/05/18 15:31
S88	58	"block encryption method"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 13:41
S89	1905	block.ab. and encryption.ab. and method.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 13:42
S90	151	block near2 encryption near2 method	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 13:43
S91	29	(block near2 encryption near2 method).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 13:43
S92	2	(block near2 encryption near2 method).ab. and hardware.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 13:47
S93	2	(block near2 encryption near2 method).ab. and hardware.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 13:48
S94	29	((("6888941") or ("6859818") or ("6819764") or ("6760440") or ("6708273") or ("6526505") or ("6307940") or ("6298136") or ("6189095") or ("6157720") or ("6028939") or ("5870470") or ("5703952")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/23 13:50
S95	8993169	divid\$5 or separat\$5 or segment\$5 or section\$5 or block	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 13:55

S96	9178964	message or data or signal or plaintext or text or passage or file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 13:56
S97	551142	random or "pseudo-random" or RND or RNG	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 13:56
S98	998036	key\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 13:56
S99	8573713	correspond\$5 or relat\$5 or sequenc\$5 or correlative or structur\$5 or format\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 14:03
S10 0	5169273	feedback or (fed\$5 near\$5 back) or output\$5 or input\$5 or return	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 14:01
S10 1	5467274	index\$5 or counter\$5 or sequent\$5 or sequenc\$5 or "in order"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 14:02
S10 2	69938	encrypt\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 14:02
S10 3	75674	S95 with S97	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 14:02
S10 4	20712	S97 with S98	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 14:02
S10 5	7719	S101 with S102	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 14:03

S10 6	916426	S99 with S100	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 14:03
S10 7	31	S93 or S94	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 14:03
S10 8	563	S103 and S104 and S105 and S106	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 14:06
S10 9	405	S108 and circuit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 14:06
S11 0	4	S109 and S107	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 14:07
S11 1	16	("5703952").URPN.	USPAT	OR	ON	2005/05/23 15:17
S11 2	1	stream.ab. and cipher.ab. and encrypt\$5.ab. and pad\$5.ab. and random.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 15:18
S11 3	6	((stream near4 cipher\$5) with encrypt\$5) and ((stream near4 cipher\$5) with pad\$5) and ((stream near4 cipher\$5) with S97)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 15:24
S11 4	72	((stream near4 cipher\$5) with encrypt\$5) and pad\$5 and S104	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 07:18
S11 5	2	S114 and S107	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 15:26
S11 6	2	("6324287").URPN.	USPAT	OR	ON	2005/05/24 06:53
S11 7	4	("6069954").URPN.	USPAT	OR	ON	2005/05/24 06:59

S118	2	("6269164").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 07:20
S119	11	((("6891950") or ("6792108") or ("6069954") or ("6028933") or ("5799088") or ("6269164"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 07:23
S120	2	ICV.ab. and bitwise.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 07:23
S121	2	(block near2 encryption near2 method).ab. and hardware.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 07:24
S122	31	((("6351539") or ("6189095") or ("6708273") or ("6028939") or ("6307940") or ("6859818") or ("6819764") or ("6760440") or ("6256505") or ("6298136") or ("6216229") or ("6157720") or ("6049608") or ("5870470"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 07:25
S123	9127446	divid\$5 or separat\$5 or section\$5 or segment\$5 or block\$5 or permut\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 07:29
S124	5959841	plaintext or data or message or signal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 09:34
S125	19	(S122 or S121 or S120 or S119) and ((key\$5 with encrypt\$5) and (S123 with S124) and ((secret or key\$5 or seed\$5) with (random or RNG or RND)) and (feedback\$5 or output\$5 or input\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 09:27
S126	17	S125 and ((secret or symmetric) with key\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 08:40
S127	17	("5799088").URPN.	USPAT	OR	ON	2005/05/24 08:42

S12 8	2	("6088456").URPN.	USPAT	OR	ON	2005/05/24 09:27
S12 9	3	("6307940").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 09:27
S13 0	2	S129 and (S123 with S124)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 09:35
S13 1	0	S129 and (plaintext with (block\$ or stream\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 09:33
S13 2	0	S129 and (plaintext with (block\$ or stream\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 09:34
S13 3	1	S129 and (plain with text with (block\$ or stream\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 09:34
S13 4	5960071	plaintext or data or message or signal or (plain near2 text)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 09:34
S13 5	2	S129 and (S123 with S134)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 09:47
S13 6	2	("6345101").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 09:47
S13 7	1	S136 and (S123 with S134)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 09:51